

## CONTENTS

	Signature Page . . . . .	iii
	Contents . . . . .	iv
	List of Figures . . . . .	viii
	List of Tables . . . . .	x
	Acknowledgements . . . . .	xi
	Vita and Publications . . . . .	xiii
	Abstract of the Dissertation . . . . .	xiv
Chapter 1	Introduction . . . . .	1
	1.1 Layman’s Summary . . . . .	1
	1.2 Outline of Dissertation . . . . .	3
	Bibliography . . . . .	5
Chapter 2	The Serial Concatenation of Rate-1 Codes Through Uniform Interleavers . . . . .	6
	2.1 Introduction . . . . .	6
	2.2 Weight Enumerators and Serial Concatenation . . . . .	8
	2.2.1 The Union Bound . . . . .	8
	2.2.2 Serial Concatenation through a Uniform Interleaver . . . . .	8
	2.2.3 A Simple Example - The Accumulate Inner Code . . . . .	9
	2.3 Multiple Rate-1 Serial Concatenations . . . . .	10
	2.3.1 The Input Output Weight Enumerator . . . . .	10
	2.3.2 A Large Number of Concatenations . . . . .	14
	2.4 Properties of Rate-1 Codes . . . . .	17
	2.4.1 Conditions for Primitivity . . . . .	17
	2.4.2 Recursive vs. Non-Recursive Rate-1/1 CCs . . . . .	19
	2.5 Bounds on the Minimum Distance . . . . .	20
	2.5.1 The Minimum Distance Distribution . . . . .	20
	2.5.2 Convolutional Accumulate- $m$ ( $CA^m$ ) Codes . . . . .	23
	2.5.3 Expurgated Ensembles . . . . .	25
	2.6 Performance . . . . .	26
	2.6.1 The Error Exponent . . . . .	26
	2.6.2 Maximum Likelihood Decoding Performance . . . . .	28
	2.6.3 Iterative Decoding Performance . . . . .	29
	2.7 Conclusions and Future Work . . . . .	30
	Appendix 2A Proof of Theorem 2.4.1 . . . . .	37
	Bibliography . . . . .	40

Chapter 3	Coding Theorems for Convolutional Accumulate- $m$ Codes . . . . .	42
3.1	Introduction . . . . .	42
3.2	Preliminaries . . . . .	43
3.2.1	Weight Enumerators and the Union Bound . . . . .	43
3.2.2	Serial Concatenation through a Uniform Interleaver . . . . .	44
3.2.3	Code Ensembles and Spectral Shape . . . . .	45
3.2.4	Asymptotic Order of Functions . . . . .	47
3.2.5	The IGE Conjecture . . . . .	48
3.2.6	Noise Thresholds . . . . .	48
3.2.7	Typical Set Decoding Bound . . . . .	49
3.3	Terminated Convolutional Codes . . . . .	53
3.3.1	Analytical Bounds . . . . .	53
3.3.2	Analytical Bound Examples . . . . .	55
3.3.3	The Exact Spectral Shape . . . . .	57
3.4	The Accumulate Code . . . . .	59
3.4.1	A Simple Bound on the IOWTP . . . . .	59
3.4.2	An Exponentially Tight Bound on the IOWTP . . . . .	60
3.4.3	A Simple Bound on the Cumulative IOWTP . . . . .	61
3.5	Single Accumulate Codes . . . . .	62
3.5.1	Repeat Accumulate Codes . . . . .	62
3.5.2	Convolutional Accumulate Codes . . . . .	63
3.5.3	Properties of the Bounds . . . . .	64
3.6	Convolutional Accumulate- $m$ Codes . . . . .	66
3.6.1	Description . . . . .	66
3.6.2	The IGE Conjecture for $CA^m$ Codes . . . . .	66
3.6.3	The Worst Case Minimum Distance . . . . .	68
3.6.4	Weight Enumerator Bound . . . . .	68
3.6.5	The Main Theorem . . . . .	69
3.6.6	The Exact Spectral Shape . . . . .	73
3.6.7	The Typical Minimum Distance . . . . .	74
3.7	Iterative Decoding of $CA^m$ Codes . . . . .	77
3.7.1	Decoding Graphs . . . . .	77
3.7.2	Message Passing Rules . . . . .	78
3.7.3	Message Passing Schedule . . . . .	80
3.7.4	Density Evolution . . . . .	81
3.8	Numerical Methods for the Spectral Shape . . . . .	84
3.8.1	The Quantized Spectral Shape . . . . .	84
3.8.2	Noise Thresholds . . . . .	85
3.8.3	Minimum Distance Ratio . . . . .	87
3.9	Concluding Remarks . . . . .	87
Appendix 3A	Binomial Coefficient Bounds . . . . .	89
Appendix 3B	Convolutional Code Bounds . . . . .	91
Appendix 3C	“Accumulate” Code Bounds . . . . .	98

	Appendix 3D Proof of $CA^m$ Code Bounds . . . . .	103
	Bibliography . . . . .	107
Chapter 4	The Capacity of Finite State Channels . . . . .	110
	4.1 Introduction . . . . .	110
	4.2 Channel Models . . . . .	113
	4.2.1 Discrete-Time Linear Filter Channels with AWGN . . . . .	113
	4.2.2 The Dicode Erasure Channel . . . . .	113
	4.2.3 The Finite State Z-Channel . . . . .	114
	4.3 Definitions . . . . .	115
	4.3.1 The Indecomposable Finite State Channel . . . . .	115
	4.3.2 The Markov Input Process . . . . .	116
	4.3.3 Combining the Input Process and the Finite State Channel . . . . .	116
	4.3.4 The Finite State Process . . . . .	117
	4.4 The Entropy Rate of a Finite State Process . . . . .	118
	4.4.1 A Simple Monte Carlo Method . . . . .	119
	4.4.2 The Statistical Moments of Entropy . . . . .	121
	4.4.3 A Matrix Perspective . . . . .	123
	4.4.4 The Analytical Approach . . . . .	124
	4.4.5 Entropy Rate Bounds . . . . .	129
	4.4.6 Connections with Lyapunov Exponents . . . . .	130
	4.5 Capacity Bounds . . . . .	133
	4.5.1 Lower Bounds . . . . .	133
	4.5.2 The Vontobel-Arnold Upper Bound . . . . .	134
	4.5.3 A Conjectured Upper Bound . . . . .	136
	4.6 Monte Carlo Results . . . . .	138
	4.6.1 Partial Response Channels . . . . .	138
	4.6.2 The Finite State Z-Channel . . . . .	140
	4.7 Analytical Results . . . . .	141
	4.7.1 The Symmetric Information Rate of the DEC . . . . .	141
	4.7.2 The Markov-1 Rate of the DEC . . . . .	144
	4.7.3 Density Evolution for Finite State Channels . . . . .	148
	4.8 Concluding Remarks . . . . .	151
	Appendix 4A Formal Channel Definitions . . . . .	151
	Bibliography . . . . .	153
Chapter 5	Joint Iterative Decoding of LDPC Codes and Channels with Memory . . . . .	156
	5.1 Introduction . . . . .	156
	5.2 System Model . . . . .	158
	5.2.1 Description . . . . .	158
	5.2.2 The Generalized Erasure Channel . . . . .	158
	5.2.3 The Dicode Erasure Channel . . . . .	160
	5.2.4 Irregular LDPC Codes . . . . .	160

5.3	Analysis of Joint Iterative Decoding . . . . .	162
5.3.1	Single Parameter Recursion . . . . .	162
5.3.2	Conditions for Convergence . . . . .	163
5.3.3	Achieving the Symmetric Information Rate . . . . .	166
5.3.4	Degree Sequences with Regular Check Distributions . . . . .	170
5.4	Results for Arbitrary GECs . . . . .	173
5.4.1	The Existence of Arbitrary GECs . . . . .	173
5.4.2	Numerical Optimization via Linear Programming . . . . .	175
5.4.3	A Stability Condition for General Channels . . . . .	178
5.5	Concluding Remarks . . . . .	178
Appendix 5A	Exact Analysis of the BCJR Decoder for the DEC . . . . .	179
Appendix 5B	Joint Iterative Decoding DE for General Channels . . . . .	183
	Bibliography . . . . .	187

## LIST OF FIGURES

2.1.1 Our system consists of any rate $r < 1$ code followed by $m$ rate-1 codes. . . . .	7
2.5.1 Encoder for a $CA^m$ Code with the block size indicated at each stage. . . . .	20
2.5.2 Probabilistic bound on the minimum distance of various $CA^m$ codes. . . . .	24
2.7.1 Analytical and simulation results for a rate $1/2$ $RA^m$ code with $k = 1024$ and $m = 1, 2, 3$ . Simulations are completed using 50 decoding iterations and the top plot shows the word error rate (WER) while the bottom plot shows the bit error rate (BER). The label XVV signifies the Viterbi-Viterbi (VV) Bound applied to the expurgated ensembles. . . . .	32
2.7.2 Analytical and simulation results for a rate $1/4$ $RA^m$ code with $k = 1024$ and $m = 1, 2, 3$ . Simulations are completed using 50 decoding iterations and the top plot shows the word error rate (WER) while the bottom plot shows the bit error rate (BER). The label XVV signifies the Viterbi-Viterbi (VV) Bound applied to the expurgated ensembles. . . . .	33
2.7.3 Analytical and simulation results for a rate $8/9$ $PA^m$ with $k = 1024$ and $m = 1, 2, 3$ . Simulations are completed using 50 decoding iterations and the top plot shows the word error rate (WER) while the bottom plot shows the bit error rate (BER). The label XVV signifies the Viterbi-Viterbi (VV) Bound applied to the expurgated ensembles. . . . .	34
2.7.4 Simulation results for rate $1/2$ $RA^m$ codes for 30 decoding iterations with $m = 1, 2$ and $k = 1024, 2048, 4096, 8192, 16384$ . The top plot shows the word error rate (WER) while the bottom plot shows the bit error rate (BER). . . . .	35
2.7.5 Simulation results for rate $8/9$ $PA^2$ codes with $k = 1024, 2048, 4096, 8192, 16384$ and 20 decoding iterations. The top plot shows the word error rate (WER) while the bottom plot shows the bit error rate (BER). . . . .	36
2A.1 The weight mapping graph, $G_4$ , with the $G_3$ subgraph drawn in solid lines. . . . .	39
3.3.1 The true WE and upper bounds for the Hamming (7,3) code. . . . .	56
3.3.2 The true WE and upper bounds for the single parity check (9,8) CC. . . . .	57
3.3.3 The true WE and upper bounds for the $G(D) = [1, 1 + D]$ CC. . . . .	58
3.5.1 An upper bound on the spectral shape of $RA$ codes. . . . .	63
3.7.1 A GTW graph for the rate-1 “accumulate” code. . . . .	78
3.7.2 A Tanner graph for an arbitrary $CA^2$ code. . . . .	80
3.8.1 Typical set decoding $E_b/N_0$ thresholds for $RA^m$ and $PA^m$ codes in AWGN. . . . .	84
3.8.2 The spectral shape of a (2,1) single parity code and the associated $PA^m$ codes with $m = 1, 2, 3$ . . . . .	85
3.8.3 The spectral shape of a $[1, 1 + D]$ CC and the associated $CA^m$ codes with $m = 1, 2, 3$ . . . . .	86
4.2.1 The state transition diagram of the dicode channel. . . . .	114

4.2.2	The state transition diagram of the finite state Z-channel. The symbol $B(p)$ refers to a binary random variable which equals 1 with probability $p$ and 0 with probability $1 - p$ . . . . .	115
4.3.1	The state diagram of a two state input process which sends a 1 with probability $p$ from the 0 state and with probability $q$ from the 1 state. . . . .	116
4.3.2	The combined state diagram for a general two state Markov input process and the dicode channel. . . . .	117
4.6.1	The SIR for various partial response channels, estimated with $n = 10^7$ . . . . .	139
4.6.2	Monte Carlo lower bounds on the achievable information rate of the dicode channel using optimized Markov input distributions. . . . .	140
4.6.3	Monte Carlo lower bounds on the achievable information rate of the EPR4 channel using optimized Markov input distributions. . . . .	141
4.6.4	Monte Carlo upper and lower bounds on the achievable information rate of the dicode channel using optimized Markov input distributions. . . . .	142
4.6.5	The SIR and the Markov-1 rate of the finite state Z-channel. . . . .	143
4.7.1	The SIR and Markov-1 rate of the DEC compared with the capacity of the binary erasure channel (BEC) and the ternary erasure channel (TEC). . . . .	148
5.1.1	Block diagram of the system. . . . .	157
5.2.1	Gallager-Tanner-Wiberg graph of the joint iterative decoder. . . . .	158
5.2.2	The state diagram of the dicode channel with and without precoding. . . . .	161
5.3.1	This shows the bit degree distributions $\lambda^{(k)}(x)$ resulting from constructing check regular codes for the precoded DEC with $\epsilon = 1/2$ . The vertical axis of each subplot is scaled differently to highlight their similarity. . . . .	171
5.4.1	The results of approximating the non-precoded DEC with $\epsilon = 0.5$ and $n = 10$ . . . . .	174

## LIST OF TABLES

2.1	Input-output sequences and weight mappings for $n = 3$ “accumulate” code. . .	10
3.1	Numerical results for various $CA^m$ codes. (C = outer code, R = code rate, $\gamma^*$ = Shannon limit, $\gamma_m$ = typical set decoding threshold with $m$ accumulates, $\delta_{GV}^*$ = Gilbert-Varshamov bound, $\delta_m^*$ = normalized distance threshold with $m$ accumulates, and $\alpha_m$ = density evolution threshold with $m$ accumulates) . . . . .	88
4.1	The transfer function and normalized response of a few partial response targets.	112
5.1	Code construction results for the precoded DEC with $\epsilon = 1/2$ . . . . .	172
5.2	Code construction results for the DEC with $\epsilon = 0.85$ and no precoding. . . . .	173